

EQUIPMENT REDEFINED TRADE FOCUSED SYSTEM WIDE



QUICK REFERENCE



The MX FUEL™ Equipment System revolutionizes the light equipment market by delivering the performance, run-time and durability demanded by the trades without the hazards associated with emissions, noise, vibration and the frustrations of gas maintenance.

This completely compatible system goes beyond the limitations of gasoline and power-cord units, utilizing the industry's most advanced batteries, motors and electronics to deliver a best-in-class experience for users.

THIS IS EQUIPMENT REDEFINED.



THE WORLD LEADER IN CORDLESS INNOVATION





POWERSTATE™ BRUSHLESS MOTOR

Uniquely engineered for the demands of the equipment, built with superior copper content & top-grade rare earth magnets.



MX FUEL™ REDLITHIUM™ BATTERY PACK

Hardest working, most reliable power for equipment. Developed with world leading lithium-ion cell technology, unique patents to protect against, drops, water, and extreme temperature, and advanced intelligence to maximize life and ensure long-term compatibility.



REDLINK PLUS™ INTELLIGENCE

Most advanced system of equipment electronics in the industry, delivering in-application communication, optimizing power delivery to maximize performance.


14" CUT-OFF SAW



MX FUEL™ 14" Cut-Off Saw Kit

MXF314-2XC

Specifications:



Kit Includes: MX FUEL™ 14" Cut-Off Saw, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, MX FUEL™ Charger, Wrench, Hex Key, Quick Connect, Contractor Bag

Additional Equipment:

(Not Included) 3100

14" Cut-Off Saw Cart






Available Accessories: (Not Included)

49-94-1475 14" x 1/8" x 1" Cut-Off Wheel (Type 1)



49-93-7540 14" Diamond Ultra Segmented





MX FUEL™ Breaker Kit

MXF368-1XC

Specifications:

•		
Chuck Size	1-1/8" Hex	
Blows Per Minute	1,300	
Impact Energy (ft-lbs)	50	
Vibration	4.9 m/s ²	
Soft Start	Yes	
Weight w/ Battery	63.9 lbs	
Push Button Start	Yes	
ONE-KEY™ Compatible	Track and Manage	
Battery Compatibility	Fits All MX FUEL™ Batteries	
Warranty	2 Year Equipment, Battery & Charger	

Kit Includes: MX FUEL™ Breaker, (1) MX FUEL™ REDLITHIUM™ XC406 Battery Pack, MX FUEL™ Charger, Cart, (3) Chisels

Available Accessories:

(Not Included)

8960-20 8 Gallon Dust Extractor



48-62-4001 16" 1-1/8" Hex Moil Point

5321-DEDust Extraction
Attachment



48-62-4006 16" 1-1/8" Hex Narrow Chisel





MX FUEL™ Handheld Core Drill Kit

MXF301-2CP

Specifications:



Kit Includes: MX FUEL™ Handheld Core Drill, (2) MX FUEL™ REDLITHIUM™ CP203 Battery Packs, MX FUEL™ Charger, Trigger Lock, 5/8"-11 Bit Adapter, Quick Connect, Hard Case with Wheels

Available Accessories: (Not Included)

2820-21WS

M18™ SWITCH TANK™ 4-Gallon Backpack Water Supply Kit



48-17-5030 3" Diamond

Ultra Wet Core Bit

Fastest Drilling, Maximum Run-Time

8960-20

8 Gallon Dust Extractor







Fastest Drilling, Maximum Run-Time



MX FUEL[™] Handheld Core Drill Kit w/ Stand

MXF301-2CXS

Specifications:

Specifications:		
Maximum Bit Capacity	6"	
RPMs Low / High	790 / 1,550	
Spindle Size	1-1/4" - 7"	
Wet / Dry Coring	Both	
On-Board Water Delivery	Yes	
Stand Included	Yes	
Weight: Machine w/ CP Battery	21.6 lbs	
Weight: Stand Only	29.0 lbs	
Push Button Start	Yes	
ONE-KEY™ Compatible	Track and M	anage
Battery Compatibility	Fits All MX F	JEL™ Batteries
Warranty	2 Year Equip	ment, Battery & Charger

Kit Includes: MX FUEL™ Handheld Core Drill, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, MX FUEL™ Charger, Compact Core Drill Stand, Trigger Lock, 5/8"-11 Bit Adapter, Quick Connect, Hard Case with Wheels





MX FUEL™ CARRY-ON™ 3600W/1800W Power Supply Kit

MXF002-2XC

Specifications:

Opcomoduonsi	
Peak Watts	3,600W
Running Watts	1,800W
Outlets	Two 120V 15A Outlets
Inverter Output	Pure Sine Wave
Integrated Charger	Yes
Push Button Start	Yes
Sound Level	60 dB(a)
ONE-KEY™ Compatible	Track and Manage
Ground Fault Isolated	Yes
Intended For	One 15 Amp Tool
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment & Battery

Kit Includes: MX FUEL™ CARRY-ON™ Power Supply, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, Detachable Charger Cord





MX FUEL™ ROCKET™ Tower Light/Charger Kit

MXF041-1XC

Specifications:

Max Lumens	27,000
Modes	High / Med / Low
Collapsed Height	44"
Extended Height	10'
Width	20.8"
Depth	24.8"
Weight w/ Battery	110 lbs
Ingress Rating	Outdoor Use
Push Button Start	Yes
ONE-KEY™ Compatible	Customize. Track. Manage.
Battery Compatibility	Fits All MX FUEL™ Batteries
Warranty	2 Year Equipment and Battery

Kit Includes: MX FUEL™ ROCKET™ Tower Light/Charger, (1) MX FUEL™ REDLITHIUM™ XC406 Battery Pack







10.000

lumens

5.000

lumens

LOW

20.000

lumens

HIGH



MX FUEL™ Sewer Drum Machine w/ POWERTREDZ™ Kit

MXF501-1CP

Specifications:

-		
Max Drain Line Capacity	3" - 8" up to 200'	Milanute
Drum Capacity	100'	OWE
Cable Capacity	5/8" and 3/4"	
Powered Cable Feed & Retract	Yes, CABLE DRIVE™	
Cable Spin Speed	200 RPM	
Length / Height	32" / 47"	
Weight w/ Battery	125 lbs	
Lift Assist	Yes, POWERTRE	EDZ™
Push Button Start	Yes	
ONE-KEY™ Compatible	Track and Manag	ge
Battery Compatibility	Fits All MX FUEL™ Batteries	
Warranty	2 Year Equipmer	nt, Battery & Charger

Kit Includes: MX FUEL™ Sewer Drum Machine w/ POWERTREDZ™, (1) MX FUEL™ REDLITHIUM™ CP203 Battery Pack, MX FUEL™ Charger, 3/4" Anchor Cable

MX FUEL™ Sewer Drum Machine Kit

MXF500-1CP

Specifications:		
Max Drain Line Capacity	3" - 8" up to 200'	
Drum Capacity	100'	
Cable Capacity	5/8" and 3/4"	
Powered Cable Feed & Retract	Yes, CABLE DRIVE™	
Cable Spin Speed	200 RPM	
Length / Height	32" / 47"	
Weight w/ Battery	110 lbs	
Lift Assist	No	
Push Button Start	Yes	
ONE-KEY™ Compatible	Track and Mana	ge
Battery Compatibility	Fits All MX FUEL	™ E
Warranty	2 Year Equipme	nt, I

Kit Includes: MX FUEL™ Sewer Drum Machine, (1) MX FUEL™ REDLITHIUM™ CP203 Battery Pack, MX FUEL™ Charger, 3/4" Anchor Cable

Available Accessories: (Not Included)

5/8" Inner Core Cables:

48-53-2325 - 25

48-53-2350 - 50°

48-53-2310 - 100'

3/4" Inner Core Cables:

48-53-2425 – 25' **48-53-2450** – 50' 48-53-2410 - 100'

Leader Cables & Anchor Cable:

48-53-2802 Leader Cable 48-53-2902 Leader Cable

48-53-2905 Anchor Cable

Machine Accessories:

47-53-5001 6-1/2" Guide Hose

47-53-5002 Load Wheel

Cable Head Attachments: 48-53-2830 Straight Auger

48-53-2831 Funnel Auger

48-53-2835 Small Opening Tool **48-53-2836** Medium Opening Tool

48-53-2832 3" Root Cutters

48-53-2833 4" Root Cutters 48-53-2833 4" Root Cutters 48-53-2837 6" Root Cutters 48-53-2837 3" Grease Cutters

48-53-2838 4" Grease Cutters 48-53-2829 Pin Key 48-53-2839 Case

48-53-2840 9 pc Cable Head Attachment Kit



MX FUEL[™] Concrete Vibrator

MXF370-2XC

Specifications:

-		
Maximum Head Size	2-1/2"	Tillunukee Tillunukee
Maximum Shaft Length	21'	
Quick Connect	Yes	10 P
Weight w/ Battery	23 lbs	
Push Button Start	Yes	
Shoulder Strap Included	Yes	
Lanyard Hook	Yes	
ONE-KEY™ Compatible	Track and Manag	ge
Battery Compatibility	Fits All MX FUEL	™ Batteries
Wireless Remote Included	Yes	
Compatible w/ Oztec	Yes	
Warranty	2 Year Equipmer	nt, Battery & Charger

Kit Includes: MX FUEL™ Concrete Vibrator, MX FUEL™ Charger, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, Shoulder Strap, Remote

Available Accessories for MXF371-2XC & MXF370-2XC: (Not Included)

Heads:

48-37-5010 1" 48-37-5020 2"

48-37-5015 48-37-5025 1-1/2" 2-1/2"



MX FUEL[™] Backpack Concrete Vibrator

MXF371-2XC

Specifications:

specifications:		
Maximum Head Size	2-1/2"	J A
Maximum Shaft Length	21'	
Quick Connect	Yes	
Weight w/ Battery	34.5 lbs	M
Push Button Start	Yes	
Removable Harness	Yes	
ONE-KEY™ Compatible	Track and Manage	
Battery Compatibility	Fits All MX FUEL™ B	3atteries
Wireless Remote Included	Yes	
Compatible w/ Oztec	Yes	
Warranty	2 Year Equipment,	Battery -

Kit Includes: MX FUEL™ Backpack Concrete Vibrator, MX FUEL™ Charger, (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, Remote

Shafts:

48-37-7007



48-37-7014



48-37-7010 10'



48-37-7021 21'



MX FUEL™ Vibratory Screed

MXF381-2CP

Specifications:

opcomoduons.		
VPM	4,000 – 9,000	
Bar Range	4' - 16'	
Adjustable Handlebars	Yes	•
Kickstand	Yes	
Weight w/ Battery (No Bar)	37 lbs	
Push Button Start	Yes	
ONE-KEY™ Compatible	Track and Mana	ge
Battery Compatibility	Fits All MX FUEL	™ Batteries
Compatible w/ MBW Bars	Yes	
Warranty	2 Year Equipmen	nt, Battery 8

Kit Includes: MX FUEL™ Vibratory Screed, (2) MX FUEL™ REDLITHIUM™ CP203 Batteries, MX FUEL™ Charger, (1) 9/16" Wrench

Available Accessories:

(Not Included)

Screed Bars:

4' - **48-38-2004** 6' - **48-38-2006**

8' - **48-38-2008** 10' - **48-38-2010**

12' - 48-38-2012

14' - **48-38-2014** 16' - **48-38-2016**



BATTERIES AND CHARGER

MX FUEL™ REDLITHIUM™ XC406 Battery

MXFXC406

Specifications:



MX FUEL™ REDLITHIUM™ **CP203 Battery**

2 Year

MXFCP203

Warranty

Specifications:



Compatibility	Fits All MX FUEL™ Equipment
Charge Duration	45 min
Capacity	3.0 Ah
Fuel Gauge	Yes
REDLINK™ Intelligence	Yes
ONE-KEY™ Compatible	No
Warranty	2 Year

MX FUEL™ Charger

MXFC

Specifications:



Compatibility	Charges All MX FUEL™ Batteries
Charge Speed	Charges MX FUEL™ CP203 Battery in 45 min
	Charges MX FUEL™ XC406 Battery in 90 min
REDLINK™ Intelligence	Yes
On-Board Fan	Yes
Cell Voltage Monitoring	Yes
On-Board Indicator Light	Yes
Warranty	2 Year

MX FUEL™ REDLITHIUM™ XC406 **Battery/Charger Expansion Kit**

MXFC-2XC



Kit Includes: (2) MX FUEL™ REDLITHIUM™ XC406 Battery Packs, MX FUEL™ Charger



EQUIPMENT REDEFINED TRADE FOCUSED SYSTEM WIDE

LEARN MORE





or visit https://mke.tl/mxfuel

